



Teachers
 Sarah S. Swindle, Chair
 Susan W. Brown, Vice Chair

Employees
 State State Police Public Judicial
 Robert J. Bentley, Chair
 Jacqueline B. Graham, Vice Chair

THE RETIREMENT SYSTEMS OF ALABAMA

David G. Bronner, CEO
 Donald L. Yancey, Deputy Director

December 2, 2015

2015 REGULAR ELECTION FOR THE TEACHERS' RETIREMENT SYSTEM BOARD OF CONTROL

BE IT KNOWN to all members of the Teachers' Retirement System of Alabama as a matter of public record, the Election Committee of the Teachers' Retirement System does hereby officially report the results of the Regular Election of the Teachers' Retirement System Board of Control.

POSTSECONDARY POSITION

Dr. Susan Williams Brown (i)

Unopposed

TEACHER POSITION, NO. 1

Dr. Cathy C. McNeal
 Mrs. Teresa Harbison Swindall (i)
 Ms. Amanda L. Miller
 Mrs. Amelia Couch

28.99%
 28.19%
 22.41%
 20.41%

Total
 581
 565
 449
 409

 2004

TEACHER POSITION, NO. 2

Mr. Ricky Whaley (i)
 Mr. Ed Peters

65.51%
 34.49%

Total
 1297
 683

 1980

SUPPORT POSITION, NO. 1

Mrs. Susan Lockridge (i)
 Ms. La-Tanya Dunham

68.15%
 31.85%


Total
 2058
 962

 3020

 Dr. Tommy Bice, Chair



 Mr. Richard Brown



 Mr. Luke Hallmark

2015 REGULAR ELECTION, CONTINUED

HIGHER EDUCATION POSITION, NO. 1

| | | <u>Total</u> |
|-------------------------|--------|--------------|
| Dr. Joseph G. Van Matre | 54.98% | 1060 |
| Mr. C. Ray Hayes (i) | 45.02% | 868 |
| | | <hr/> 1928 |


RETIRED POSITION, NO. 1

| | | <u>Total</u> |
|---------------------------|--------|--------------|
| Ms. Peggy Mobley | 18.17% | 2788 |
| Dr. Gerald W. Johnson | 17.52% | 2689 |
| Mrs. Anita Gibson | 14.13% | 2168 |
| Dr. Gerald Wayne Waldrop | 12.69% | 1947 |
| Dr. Sidney L. Brown | 10.68% | 1639 |
| Mrs. Sharon Pickett Saxon | 9.66% | 1482 |
| Dr. Eddie Britton | 6.58% | 1010 |
| Dr. Robert Kies | 3.97% | 610 |
| Mrs. Melissa Nannini | 3.49% | 536 |
| Mr. John Mark Campbell | 3.11% | 478 |
| | | <hr/> 15347 |

Dr. Tommy Bice, Chair



Mr. Richard Brown



Mr. Luke Hallmark